ELSEVIER

Forest Ecology and Management 214 (2005) 420–421

Forest Ecology and Management

www.elsevier.com/locate/foreco

Contents of *Forest Ecology and Management*, Volume 214

VOLUME 214, ISSUES 1–3 **3 AUGUST 2005**

Regular articles

Competitive interactions in sub-boreal birch–spruce forests differ on opposing slope aspects
D.S. Green and C.D.B. Hawkins (Prince George, Canada) 1

Ecosystem structure, nutrient dynamics, and hydrologic relationships in tree islands of the southern Everglades, Florida, USA
T.G. Troxler Gann, D.L. Childers and D.N. Rondeau (Miami, FL, USA) 11

Growth and nutritional response of hardwood seedlings to controlled-release fertilization at outplanting
D.F. Jacobs, K.F. Salifu (West Lafayette, IN, USA) and J.R. Seifert (Butlerville, IN, USA) 28

Snag density and use by cavity-nesting birds in managed stands of the Black Hills National Forest
D.J. Spiering and R.L. Knight (Fort Collins, CO, USA) 40

Fuel treatment effects on snags and coarse woody debris in a Sierra Nevada mixed conifer forest
S.L. Stephens and J.J. Moghaddas (Berkeley, CA, USA) 53

Simulation and quantification of the fine-scale spatial pattern and heterogeneity of forest canopy structure: A lacunarity-based method designed for analysis of continuous canopy heights
G.W. Frazer, M.A. Wulder and K.O. Niemann (Victoria, Canada) 65

Modelling the sustainable harvest of *Sclerocarya birrea* subsp. *caffra* fruits in the South African lowveld
P.L. Emanuel, C.M. Shackleton and J.S. Baxter (Grahamstown, South Africa) 91

Time-trajectory of mean phytomass and density during a course of self-thinning in a sugi (*Cryptomeria japonica* D. Don) plantation
K. Ogawa (Nagoya, Japan) 104

Microcatchment water harvesting for growing *Tamarix ramosissima* in the semiarid loess region of China
X.-Y. Li, L.-Y. Liu, S.-Y. Gao, P.-J. Shi, X.-Y. Zou and C.-L. Zhang (Beijing, China) 111

Cover and management factors for the Universal Soil-Loss Equation for forest ecosystems in the Marmara region, Turkey
S. Özhan, A.N. Balcı, N. Özyuvacı, A. Hızal, F. Gökbulak and Y. Serengil (Istanbul, Turkey) 118

Evaluating partial cutting in broadleaved temperate forest under strong experimental control: Short-term effects on herbaceous plants
F. Götmark, H. Paltto, B. Nordén and E. Götmark (Göteborg, Sweden) 124

Broadleaved tree species in conifer-dominated forestry: Regeneration and limitation of saplings in southern Sweden
F. Götmark (Göteborg, Sweden), J. Fridman, G. Kempe (Umeå, Sweden) and B. Norden (Göteborg, Sweden) 142

Forest recovery in managed agroforestry systems: The case of benzoin and rattan gardens in Indonesia
C. García-Fernández (Belém, Brazil and Madrid, Spain) and M.A. Casado (Madrid, Spain) 158

Defining perennial, intermittent, and ephemeral channels in Eastern Kentucky: Application to forestry best management practices
J.R. Svec (Lexington, KY, USA), R.K. Kolka (Grand Rapids, MN, USA) and J.W. Stringer (Lexington, KY, USA) 170

Impacts of the introduced basswood thrips (*Thrips calcaratus* Uzel) on forest health in the Great Lakes region
S.M. Werner, E.V. Nordheim and K.F. Raffa (Madison, WI, USA) 183

Evaluation of spatial predictions of site index obtained by parametric and nonparametric methods—A case study of lodgepole pine productivity
Y. Wang (Edmonton, Canada), F. Raulier and C.-H. Ung (Sainte-Foy, Canada) 201

Calculation of uneven-aged stand structures with the negative exponential diameter distribution and Sterba's modified competition density rule
A.U. Gül (Manisa, Turkey), M. Misir, N. Misir and H. Yavuz (Trabzon, Turkey) 212

doi:10.1016/S0378-1127(05)00442-1

ELSEVIER

Forest Ecology and Management 214 (2005) 420–421

Forest Ecology and Management

www.elsevier.com/locate/foreco

Contents of *Forest Ecology and Management*, Volume 214

VOLUME 214, ISSUES 1–3 **3 AUGUST 2005**

Regular articles

Competitive interactions in sub-boreal birch–spruce forests differ on opposing slope aspects
D.S. Green and C.D.B. Hawkins (Prince George, Canada) 1

Ecosystem structure, nutrient dynamics, and hydrologic relationships in tree islands of the southern Everglades, Florida, USA
T.G. Troxler Gann, D.L. Childers and D.N. Rondeau (Miami, FL, USA) 11

Growth and nutritional response of hardwood seedlings to controlled-release fertilization at outplanting
D.F. Jacobs, K.F. Salifu (West Lafayette, IN, USA) and J.R. Seifert (Butlerville, IN, USA) 28

Snag density and use by cavity-nesting birds in managed stands of the Black Hills National Forest
D.J. Spiering and R.L. Knight (Fort Collins, CO, USA) 40

Fuel treatment effects on snags and coarse woody debris in a Sierra Nevada mixed conifer forest
S.L. Stephens and J.J. Moghaddas (Berkeley, CA, USA) 53

Simulation and quantification of the fine-scale spatial pattern and heterogeneity of forest canopy structure: A lacunarity-based method designed for analysis of continuous canopy heights
G.W. Frazer, M.A. Wulder and K.O. Niemann (Victoria, Canada) 65

Modelling the sustainable harvest of *Sclerocarya birrea* subsp. *caffra* fruits in the South African lowveld
P.L. Emanuel, C.M. Shackleton and J.S. Baxter (Grahamstown, South Africa) 91

Time-trajectory of mean phytomass and density during a course of self-thinning in a sugi (*Cryptomeria japonica* D. Don) plantation
K. Ogawa (Nagoya, Japan) 104

Microcatchment water harvesting for growing *Tamarix ramosissima* in the semiarid loess region of China
X.-Y. Li, L.-Y. Liu, S.-Y. Gao, P.-J. Shi, X.-Y. Zou and C.-L. Zhang (Beijing, China) 111

Cover and management factors for the Universal Soil-Loss Equation for forest ecosystems in the Marmara region, Turkey
S. Özhan, A.N. Balcı, N. Özyuvacı, A. Hızal, F. Gökbulak and Y. Serengil (Istanbul, Turkey) 118

Evaluating partial cutting in broadleaved temperate forest under strong experimental control: Short-term effects on herbaceous plants
F. Götmark, H. Paltto, B. Nordén and E. Götmark (Göteborg, Sweden) 124

Broadleaved tree species in conifer-dominated forestry: Regeneration and limitation of saplings in southern Sweden
F. Götmark (Göteborg, Sweden), J. Fridman, G. Kempe (Umeå, Sweden) and B. Norden (Göteborg, Sweden) 142

Forest recovery in managed agroforestry systems: The case of benzoin and rattan gardens in Indonesia
C. García-Fernández (Belém, Brazil and Madrid, Spain) and M.A. Casado (Madrid, Spain) 158

Defining perennial, intermittent, and ephemeral channels in Eastern Kentucky: Application to forestry best management practices
J.R. Svec (Lexington, KY, USA), R.K. Kolka (Grand Rapids, MN, USA) and J.W. Stringer (Lexington, KY, USA) 170

Impacts of the introduced basswood thrips (*Thrips calcaratus* Uzel) on forest health in the Great Lakes region
S.M. Werner, E.V. Nordheim and K.F. Raffa (Madison, WI, USA) 183

Evaluation of spatial predictions of site index obtained by parametric and nonparametric methods—A case study of lodgepole pine productivity
Y. Wang (Edmonton, Canada), F. Raulier and C.-H. Ung (Sainte-Foy, Canada) 201

Calculation of uneven-aged stand structures with the negative exponential diameter distribution and Sterba's modified competition density rule
A.U. Gül (Manisa, Turkey), M. Misir, N. Misir and H. Yavuz (Trabzon, Turkey) 212

doi:10.1016/S0378-1127(05)00442-1

Logging in the Congo Basin: A multi-country characterization of timber companies
M. Ruiz Pérez, D. Ezzine de Blas (Madrid, Spain), R. Nasi (Montpellier, France), J.A. Sayer (Gland, Switzerland), M. Sassen (Yaoundé, Cameroon), C. Angoué (Libreville, Gabon), N. Gami (Brazzaville, Congo), O. Ndoye (Yaoundé, Cameroon), G. Ngono (Yaoundé, Cameroon), J.-C. Nguinguiri (Libreville, Gabon), D. Nzala (Brazzaville, Congo), B. Toirambe (Kinshassa, Congo) and Y. Yalibanda (Bangui, Central African Republic) 221
Structural development in ageing temperate Scots pine stands
V. Kint (Melle-Gontrode, Belgium) 237
Neighborhood size effects on mortality, growth and crown morphology of paper birch
S.W. Simard (Vancouver, Canada) and B.J. Zimonick (Kamloops, Canada) 251
Vegetation responses to natural and salvage logged fire edges in Douglas-fir/hardwood forests
J.J. Hanson and J.D. Stuart (California, USA) 266
Managed forest landscape structure and avian species richness in the southeastern US
C. Loehle (Naperville, IL, USA), T.B. Wigley (Clemson, SC, USA), S. Rutzmoser (Auburn, AL, USA), J.A. Gerwin (Raleigh, NC, USA), P.D. Keyser (Rupert, WV, USA), R.A. Lancia (Raleigh, NC, USA), C.J. Reynolds (Hot Springs, AR, USA), R.E. Thill (Nacogdoches, TX, USA), R. Weih, D. White, Jr. (Monticello, AR, USA) and P.B. Wood (Morgantown, WV, USA) 279
Sustainability of timber harvesting in Bolivian tropical forests
E. Dauber (Santa Cruz, Bolivia), T.S. Fredericksen (Ferrum, VA, USA) and M. Peña (Santa Cruz, Bolivia and Ferrum, VA, USA) 294
Does forest harvesting emulate fire disturbance? A comparison of effects on selected attributes in coniferous-dominated headwater systems
C.R. Nitschke (Vancouver, Canada) 305
Organic matter manipulations have little effect on gross and net nitrogen transformations in two temperate forest mineral soils in the USA and central Europe
S.M. Holub, K. Lajtha, J.D.H. Spears (Corvallis, OR, USA), J.A. Tóth (Egyetem tér, Hungary), S.E. Crow, B.A. Caldwell (Corvallis, OR, USA), M. Papp (Egyetem tér, Hungary) and P.T. Nagy (Böszörményi út, Hungary) 320
The influence of local habitat and landscape composition on cavity-nesting birds in a forested mosaic
T.L. Warren, M.G. Betts, A.W. Diamond and G.J. Forbes (New Brunswick, Canada) 331
Seedling survival of *Pinus strobus* and its interspecific hybrids after artificial inoculation of *Cronartium ribicola*
P. Lu, R.W. Sinclair, T.J. Boult and S.G. Blake (Marie, Canada) 344
Do Blackburnian Warblers select mixed forest? The importance of spatial resolution in defining habitat
L. Young, M.G. Betts and A.W. Diamond (Fredericton, Canada) 358
Temporal and spatial changes in fine root distributions in a young *Eucalyptus globulus* stand in southern Tasmania
A.P. O'Grady, D. Worledge and M. Battaglia (Tasmania, Australia) 373
Effects of herbaceous and woody plant control on *Pinus palustris* growth and foliar nutrients through six growing seasons
J.D. Haywood (Pineville, LA, USA) 384
Simulation study for finding optimal lidar acquisition parameters for forest height retrieval
J.L. Lovell, D.L.B. Jupp, G.J. Newnham (Canberra, Australia), N.C. Coops and D.S. Culvenor (Clayton South, Australia) 398

Short communication

Gap size measurement: The proposal of a new field method
R.A.F. de Lima (São Paulo, Brazil) 413

Contents of *Forest Ecology and Management*, Volume 214 420